

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
2	X 0.5	X 2000	C	
2.5	X 0.5	X 2000	C	
3	X 0.5	X 2000	C	
	1.0	X 2000	C	
3.5	X 0.5	X 2000	C	
4	X 0.5	X 2000	C	
	1.0	X 2000	C	
5	X 0.5	X 2000	C	
	1.0	X 2000	C	
		X 4000	C	
	1.5	X 2000	C	
		X 4000	C	
6	X 0.5	X 2000	C	
		X 4000	C	
	0.8	X 4000	C	
	1.0	X 2000	C	
		X 4000	C	
	1.2	X 4000	C	
	1.5	X 4000	C	
	2.0	X 4000	C	
6.35	X 0.5	X 4000	C	
	0.889	X 4000	C	
	1.0	X 2000	C	
		X 4000	C	
	1.2	X 4000	C	
	1.5	X 4000	C	
7	X 0.5	X 2000	C	
		X 4000	C	
	0.8	X 4000	C	
	1.0	X 2000	C	
		X 4000	C	
	1.5	X 2000	C	
		X 4000	C	
2.0	X 4000	C		
8	X 0.5	X 2000	C	
		X 4000	C	
	0.8	X 4000	C	
	1.0	X 2000	C	
		X 4000	C	
	1.2	X 4000	C	

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)		
8	X 1.5	X 4000	C		
	2.0	X 4000	C		
	2.5	X 4000	C		
9	X 0.5	X 2000	C		
		X 4000	C		
	0.8	X 4000	C		
	1.0	X 4000	C		
	1.2	X 4000	C		
	1.5	X 4000	C		
	2.0	X 4000	C		
	2.5	X 4000	C		
3.0	X 4000	C			
9.53	X 0.5	X 4000	C		
	0.889	X 4000	C		
	1.0	X 4000	C		
	1.2	X 4000	C		
	1.5	X 4000	C		
	2.0	X 4000	C		
	10	X 0.5	X 2000	C	
		X 4000	C		
0.8		X 4000	C		
1.0		X 2000	C		
		X 4000	C		
1.2		X 4000	C		
1.5		X 4000	C		
2.0		X 4000	C		
2.5		X 4000	C		
3.0	X 4000	C			
10.5	X 1	X 4000	C		
	1.2	X 4000	C		
	1.5	X 4000	C		
	1.7	X 4000	C		
	2.0	X 4000	C		
	2.4	X 4000	C		
	11	X 0.5	X 4000	C	
		0.8	X 4000	C	
1.0		X 4000	C		
1.5		X 4000	C		
2.0		X 4000	C		
3.0		X 4000	C		

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
12	× 0.5	× 2000	C
		× 4000	C
	0.8	× 4000	C
		1.0	× 2000
	× 4000		C
	1.2	× 4000	C
		1.5	× 4000
	2.0		× 4000
		2.5	× 4000
3.0	× 4000		C
	12.7	× 0.5	× 4000
0.89			× 4000
1.0		× 4000	C
		1.2	× 4000
1.5			× 4000
		1.65	× 4000
2.0			× 4000
		3.0	× 4000
13	× 0.5		× 2000
		× 4000	C
	0.8	× 4000	C
		1.0	× 4000
	1.2		× 4000
		1.5	× 4000
	2.0		× 4000
		2.5	× 4000
3.0	× 4000		C
	13.8	× 1	× 4000
1.2			× 4000
1.65		× 4000	C
		× 5500	C
2.0		× 4000	C
		× 5500	C
2.2		× 4000	C
		× 5500	C
3.0		× 4000	C
	× 5500	C	
14	× 0.5	× 2000	C
		0.8	× 4000
	1.0	× 4000	C

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
14	× 1.5	× 4000	C
		2.0	× 4000
	2.5	× 4000	C
		3.0	× 4000
15	× 0.5		× 2000
		0.8	× 4000
	1.0	× 4000	C
		1.2	× 4000
	1.5		× 4000
		2.0	× 4000
	2.5		× 4000
		3.0	× 4000
15.9	× 0.89		× 4000
16	× 0.5	× 2000	C
		0.8	× 4000
	1.0	× 4000	C
		1.2	× 4000
	1.5		× 4000
		2.0	× 4000
	2.5		× 4000
3.0		× 4000	C
	4.0	× 4000	C
17		× 0.5	× 2000
	0.8		× 4000
	1.0	× 4000	C
		1.5	× 4000
17.3	× 1		× 4000
		1.2	× 4000
	1.65	× 4000	C
		× 5500	C
	2.0	× 4000	C
		× 5000	C
	× 5500	× 5500	C
		2.3	× 4000
× 5000	C		
3.2	× 4000	C	
	× 5000	C	

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
17.3	X 3.2	X 5500	C
		X 4000	C
18	X 0.5	X 2000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
19	X 0.5	X 2000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
20	X 0.5	X 2000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
21.7	X 1.2	X 4000	C
		X 4000	C
		X 4000	C
		X 5500	C
		X 6000	C
		X 4000	C
		X 5500	C
		X 6000	C
		X 4000	C
		X 5500	C
X 6000	C		

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
21.7	X 3.7	X 4000	C
		X 5500	C
		X 6000	C
		X 8L	C
		X 4000	C
		X 5500	C
		X 6000	C
22	X 4.7	X 4000	C
		X 5500	C
		X 6000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
23	X 7.5	X 2000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
24	X 0.5	X 2000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
25	X 1.0	X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
25.4	X 1.5	X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C
		X 4000	C

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)		外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
25.4	X 3.5	X 4000	C		30	X 5.0	X 4000	C	
	4.0	X 4000	C			6.0	X 4000	C	
	4.5	X 4000	C			8.0	X 4000	C	
27.2	X 1.2	X 4000	C		32	X 1	X 4000	C	
	1.65	X 4000	C			1.2	X 4000	C	
	2.1	X 4000	C			1.5	X 4000	C	
		X 5500	C			2.0	X 4000	C	
		X 6000	C			3.0	X 4000	C	
	2.5	X 4000	C			3.5	X 4000	C	
		X 5500	C			4.0	X 4000	C	
		X 6000	C			5.0	X 4000	C	
	2.9	X 4000	C			6.0	X 4000	C	
		X 5500	C			7.0	X 4000	C	
		X 6000	C			8.0	X 4000	C	
		X 8L	C			34	X 1	X 4000	C
	3.9	X 4000	C		1.2		X 4000	C	
		X 5500	C		1.65		X 4000	C	
		X 6000	C				X 5000	C	
	X 8L	C			X 5500		C		
4.5	X 4000	C		2.0	X 4000		C		
5.5	X 4000	C		2.5	X 4000		C		
	X 5500	C			X 6000		C		
	X 6000	C		2.8	X 4000		H		
	X 8L	C			X 5500	H			
	7.8	X 4000	C		X 6000	H			
28	X 1	X 4000	C		3.0	X 4000	H		
	1.5	X 4000	C			X 5000	H		
	2.0	X 4000	C			X 5500	H		
	3.0	X 4000	C			X 6000	H		
	4.0	X 4000	C		3.4	X 4000	H		
	5.0	X 4000	C			X 5500	H		
	6.5	X 4000	C			X 6000	H		
	7.5	X 4000	C		4.0	X 4000	H		
30	X 1	X 4000	C		4.5	X 4000	H		
	1.5	X 4000	C			X 5000	H		
	2.0	X 4000	C			X 5500	H		
	2.5	X 4000	C			X 6000	H		
	3.0	X 4000	C			X 8L	H		
	3.5	X 4000	C		5.0	X 4000	H		
	4.0	X 4000	C			X 6000	H		

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
34	X 5.0	X 8L	H	
		X 4000	H	
	6.4	X 5500	H	
		X 6000	H	
		X 8L	H	
		9.1	X 4000	C
			X 8L	C
		35	X 5	X 4000
X 8L	H			
36	X 3	X 4000	H	
		X 4000	H	
	4.0	X 8L	H	
		X 4000	H	
	5.0	X 5L	H	
		X 4000	H	
	6.5	X 4000	H	
		X 4000	H	
8.0	X 4000	H		
	X 4000	H		
38	X 1	X 4000	C	
		X 4000	C	
	1.5	X 4000	C	
		X 4000	C	
	3.0	X 4000	H	
		X 4000	H	
	3.5	X 4000	H	
		X 4000	H	
	4.0	X 8L	H	
		X 4000	H	
	4.5	X 4000	H	
		X 4000	H	
	5.0	X 8L	H	
		X 4000	H	
	5.5	X 8L	H	
		X 4000	H	
6.0	X 8L	H		
	X 4000	H		
7.0	X 8L	H		
	X 4000	H		
8.0	X 8L	H		
	X 4000	H		
9.0	X 8L	H		
	X 4000	H		
40	X 1	X 4000	C	

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
40	X 1.5	X 4000	C
		X 4000	C
	2.0	X 4000	H
		X 8L	H
	3.0	X 4000	H
		X 4000	H
	3.5	X 8L	H
		X 4000	H
	4.0	X 8L	H
		X 4000	H
	5.0	X 8L	H
		X 4000	H
	6.0	X 8L	H
		X 4000	H
	7.0	X 8L	H
		X 4000	H
	8.0	X 8L	H
		X 4000	H
9.0	X 8L	H	
	X 4000	H	
10	X 8L	H	
	X 4000	H	
42	X 10	X 6000	H
		X 8L	H
42.7	X 1.65	X 4000	C
		X 4000	C
	2.8	X 4000	H
		X 5500	H
	3.0	X 6000	H
		X 4000	H
	3.6	X 5500	H
		X 8L	H
	4.0	X 4000	H
		X 5500	H
	4.5	X 8L	H
		X 4000	H
	4.9	X 8L	H
		X 4000	H

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
42.7	X 4.9	X 5500	H	48.6	X 3.0	X 5500	H	
		X 6000	H			X 6000	H	
		X 8L	H			X 8L	H	
	6.0	X 4000	H			3.5	X 4000	H
		X 8L	H			3.7	X 4000	H
	6.4	X 4000	H			4.0	X 5500	H
		X 5500	H		X 6000		H	
		X 6000	H		X 8L		H	
	7.0	X 4000	H		5.1	X 8L	H	
		X 8L	H			X 8L	H	
	8.0	X 8L	H		6.0	X 4000	H	
		9.5	X 4000			H	7.1	X 4000
	X 6000		H		X 5500	H		
	X 8L		H		X 6000	H		
45	X 2	X 4000	C	50	X 6	X 8L	H	
		3.0	X 4000			H	7	X 4000
	X 8L		H			9.0	X 8L	H
	4.0	X 4000	H				10.2	X 4000
		5.0	X 4000			H		X 8L
	5.5		X 8L			H	12.5	X 4000
		X 4000	H		X 6L	H		
	6.5	X 8L	H		14	X 5L	H	
		X 4000	H			50.8	X 1.5	X 4000
	8.0	X 4000	H		2.0		X 4000	C
		X 8L	H		3.0		X 4000	H
	8.0	X 4000	H		3.0	X 8L	H	
		X 8L	H	4.0		X 4000	H	
10		X 4000	H		X 8L	H		
		X 8L	H		X 4000	H		
11.5		X 4000	H	3.0	X 8L	H		
	X 7L	H	X 4000		H			
	X 4000	H	X 8L		H			
12.5	X 7L	H	48.6	X 1.65	X 4000	C		
	2.0	X 4000			C	2.8	X 4000	C/H
		2.8		X 4000	C/H		X 5500	H
	X 5500			H	X 6000	H		
	X 6000	H		X 8L	H			
3.0	X 4000	H	3.0	X 8L	H			
	X 4000	H		X 4000	H			

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
50.8	X 4.0	X 8L	H
		X 4000	H
		X 8L	H
		X 4000	H
	5.5	X 8L	H
		X 4000	H
	6.0	X 8L	H
		X 4000	H
	7.0	X 4000	H
		X 8L	H
8.0	X 8L	H	
	X 4000	H	
10	X 4000	H	
	X 8L	H	
52	X 6	X 4000	H
		X 8L	H
	7.5	X 8L	H
		X 8L	H
	14	X 4000	H
X 5L		H	
54	X 2	X 4000	C
		X 4000	H
		X 8L	H
		X 4000	H
	3.5	X 8L	H
		X 4000	H
	4.0	X 4000	H
		X 8L	H
	5.0	X 4000	H
		X 8L	H
	6.0	X 4000	H
		X 8L	H
9.0	X 8L	H	
	X 4000	H	
15	X 4000	H	
	X 5L	H	
55	X 2	X 4000	C
		X 4000	H
		X 8L	H
		X 4000	H
	5.5	X 8L	H
		X 4000	H
8.0	X 4000	H	
	X 8L	H	
56	X 3	X 4000	H

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
56	X 3	X 8L	H
		X 4000	H
	8.0	X 8L	H
		X 4000	H
	10	X 4000	H
		X 8L	H
14	X 6L	H	
	57	X 2	X 4000
X 4000			H
3.0		X 8L	H
		X 4000	H
4.0		X 4000	H
		X 8L	H
6.0	X 8L	H	
	7.5	X 4000	H
X 8L		H	
60	X 7	X 8L	H
		X 6L	H
	12.5	X 4000	H
		X 5L	H
	15	X 4L	H
60.5		X 1.65	X 4000
	X 4000		C
	2.8	X 4000	C/H
		X 5500	H
		X 6000	H
		X 8L	H
3.0	X 4000	H	
	X 5500	H	
	X 6000	H	
	X 8L	H	
3.5	X 4000	H	
	X 5500	H	
	X 6000	H	
	X 8L	H	
3.9	X 4000	H	
	X 5500	H	
	X 6000	H	
	X 8L	H	
4.9	X 4000	H	
	X 6000	H	
	X 8L	H	

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
60.5	× 5.5	× 4000	H
		× 5500	H
		× 6000	H
		× 8L	H
	6.0	× 4000	H
		× 8L	H
	8.7	× 4000	H
		× 5500	H
		× 6000	H
		× 8L	H
	10	× 4000	H
		× 7L	H
	11.1	× 4000	H
		× 6000	H
× 7L		H	
63	× 8	× 4000	H
		× 8L	H
	11.5	× 4000	H
		× 5L~7L	H
15.5	× 4L	H	
	63.5	× 2	× 4000
3.0		× 4000	H
		× 7L~8L	H
4.0		× 4000	H
		× 8L	H
5.0		× 4000	H
		× 8L	H
6.5		× 4000	H
	× 8L	H	
10	× 4000	H	
	× 6L、8L	H	
65	× 2	× 4000	C
		× 4000	H
	3.0	× 4000	H
		× 7L~8L	H
	3.5	× 7L~8L	H
		× 4000	H
	4.0	× 8L	H
		× 4000	H
5.0	× 4000	H	
	× 8L	H	
6.0	× 4000	H	

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
65	× 6.0	× 8L	H
		× 4000	H
	8.5	× 7L	H
		× 4000	H
	10	× 4000	H
		× 6L~7L	H
	12	× 6L	H
		× 4L	H
	15	× 4L	H
		× 4L~7L	H
18	× 4L~7L	H	
	× 6000	H	
	× 7L	H	
20	× 6000	H	
	× 7L	H	
	× 7L	H	
68	× 6	× 4000	H
		× 8L	H
	8.0	× 4000	H
		× 7L~8L	H
70	× 3	× 4000	H
		× 8L	H
	4.0	× 4000	H
		× 8L	H
	5.0	× 4000	H
		× 8L	H
	6.5	× 8L	H
		× 4000	H
	8.0	× 4000	H
		× 7L~8L	H
	10	× 4000	H
× 7L~8L		H	
12.5	× 8L	H	
	× 7L	H	
	× 4000	H	
	× 5L~6L	H	
15	× 4000	H	
	× 7L	H	
	× 4000	H	
20	× 4000	H	
	× 5L~6L	H	
71	× 13	× 8L	H
		× 6L~7L	H
	17.5	× 5L~6L	H
73	× 5	× 4000	H
		× 8L	H
	7.0	× 8L	H
		× 7L~8L	H
	12.5	× 6L~7L	H
		× 6L	H
76.3	× 2.1	× 4000	C
		× 4000	H
	3.0	× 4000	H

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)		外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)			
76.3	× 3.0	× 5500	H		80	× 6.0	× 8L	H			
		× 6000	H					8.5	× 4000	H	
		× 8L	H						× 8L	H	
	3.5	× 4000	H				10	× 6000	H		
		× 5500	H						× 8L	H	
		× 6000	H				12.5	× 4000	H		
	4.0	× 8L	H						× 5L~6L	H	
		× 4000	H				15	× 5L	H		
	5.2	× 8L	H				17.5	× 5L	H		
		× 4000	H				20	× 4L、6L	H		
		× 5500	H			25	× 5L	H			
		× 6000	H		81	× 6	× 8L	H			
		× 8L	H		82.6	× 3	× 4000	H			
	6.0	× 4000	H					× 8L	H		
		× 8L	H			5.0	× 8L	H			
	7.0	× 4000	H		83	× 8.5	× 8L	H			
		× 5500	H				10	× 7L	H		
		× 6000	H		85	× 8	× 6L~8L	H			
		× 8L	H					8.5	× 8L	H	
	8.0	× 4000	H				10	× 4000	H		
		× 8L	H					× 5L、7L	H		
	9.5	× 4000	H				12.5	× 5L~6L	H		
		× 5500	H				15	× 5L	H		
		× 6000	H			20	× 5L	H			
		× 8L	H			25	× 4L	H			
	10	× 4000	H			27.5	× 3L	H	○		
× 8L		H		89.1	× 2.1	× 4000	C				
13.5	× 4000	H				3.0	× 4000	H			
	× 6000	H				× 5500	H				
	× 7L	H				× 6000	H				
15	× 6L	H				× 8L	H				
	× 5L	H			4.0	× 4000	H				
18	× 5L	H					× 5500	H			
	× 5L	H				× 6000	H				
20	× 5L	H				× 8L	H				
	× 5L	H			5.0	× 4000	H				
23	× 5L	H					× 8L	H			
	80	× 3	× 4000	H		5.5	× 4000	H			
× 8L			H				× 5500	H			
4.0		× 4000	H			× 6000	H				
		× 8L	H			× 8L	H				
5.0		× 8L	H			× 4000	H				
		× 4000	H			× 5500	H				
6.0	× 4000	H			× 6000	H					

注) ○印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)		外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)					
89.1	X 5.5	X 8L	H		101.6	X 5.7	X 6000	H					
		X 4000	H				X 8L	H					
	X 6.6	X 8L	H			7.0		X 6000		H			
		X 7.6	X 4000				H	X 7L		H			
	X 5500		H			8.1	X 4000	H					
		X 6000	H				X 5500	H					
	X 8L	H	X 6000			H		12.7		X 6L	H		
		X 11.1				X 4000	H			X 4000	H		
X 6L	H		X 6000	H									
90	X 10	X 6L~7L	H			105	X 9	X 6L		H			
		X 5L	H			106		X 10		X 7L		H	
	X 13.5	X 6L	H				13			X 6L		H	
		X 16	X 5L		H	17.5		X 4L	H				
	X 20		X 4L		H		25	X 3L	H				
		X 22.5	X 3L		H	110		X 10	X 7L	H			
	X 25		X 4L		H		13		X 5L	H			
X 27.5		X 3L	H	20	X 3L	H							
	95	X 7.5	X 8L		H	30	X L	H		112	X 16	X 4L	H
X 6L			H	24.5	X 4L			H					
X 10		X 7L	H		114.3	X 2.1	X 4000	C		100	X 10	X 5L	H
		X 6L	H	3.0			X 4000	H					
X 12.5		X 6L	H		X 5500	H	X 6000	H		14.5	X 5L	H	
		X 14.5	X 5L	H		X 6000		H					
X 16			X 5L	H	X 8L		H	X 8L		H	17.5	X 4L	H
		X 20	X 4L	H		X 8L	H						
X 22.5	X 4L		H	X 4000	H		X 4000	H	22	X 4L	H		
	X 25	X 4L	H		X 4000	H							
X 30		X 4L	H	X 5500		H	X 6000	H	25	X 4L	H		
	X 4L	H	X 8L		H								
100		X 3.0		X 4000	H		114.3	X 4.0	X 4000	H			
	X 6000		H	X 5500	H								
	X 4	X 4000	H		X 6000			H	X 8L	H		5.0	X 4000
		X 6000	H	X 8L				H					
	X 5.7	X 4000	H		X 8L			H	X 4000	H		6.0	X 4000
		X 5500	H	X 5500				H					
	X 4000	H	X 6000		H			X 6000	H				
		X 5500		H									

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)		
114.3	X 6.0	X 7L	H		
		7.1	X 4000	H	
			X 6000	H	
	8.6	X 5L	H		
		X 4000	H		
		X 5500	H		
		X 6000	H		
		X 5L、7L	H		
	11.1	X 4000	H		
		X 5L	H		
	13.5	X 4000	H		
		X 5L	H		
	17.1	X 5L	H		
20	X 4L	H			
25	X 3L	H			
118	X 14	X 4L	H		
120	X 4	X 4000			
		X 8L	H		
	5.0	X 8L	H		
		X 4000			
	8	X 7L	H		
		X 6L	H		
	13	X 4L	H		
	15	X 5L	H		
	20	X 4000	H		
		X 4L	H		
	25	X 3L	H		
	30	X 6000	H		
		X 4L	H	○	
40	X 4L	H	○		
125	X 5	X 8L	H		
		X 4000	H		
	12.5	X 5L	H		
		X 4L	H		
	17.5	X 4L	H		
	22.5	X 3L	H		
27	X 6000	H	○		
127	X 5	X 8L	H		
		X 6000	H		
	6.0	X 8L	H		

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
127	X 8.0	X 6000	H	
		X 5L~6L	H	
	10	X 5L	H	
130	X 12.5	X 5L	H	
		X 3L	H	
	20	X L	H	○
		X L	H	○
132	X 10	X 4L	H	
		X 4L	H	
	16	X 3L	H	
		X 3L	H	
	26	X 5L	H	○
		X 4000	H	○
139.8	X 2.8	X 4000	C	
		X 4000	C	
		X 4000	H	
	5.0	X 5500	H	
		X 6000	H	
	6.6	X 8L	H	
		X 4000	H	
	9.5	X 5500	H	
		X 6000	H	
		X 6L	H	
		X 4000	H	
	12.7	X 5500	H	
		X 5L	H	
15.9	X 4L	H		
	X 3L	H		
21	X 3L	H		
	X 3L	H		
	X 3L	H	○	
25	X 3L	H	○	
140	X 14	X 4L	H	
		X 3L	H	
	30	X 5500	H	○
		X 3L	H	○
145	X 10	X 4000	H	
		X 4L	H	
	13	X 4L	H	
		X 3L	H	
	25	X 6000	H	○
150	X 10	X 5L	H	

注) ○印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
150	X 12.5	X 4L	H	
	15	X 4L	H	
	22	X 5L	H	○
	30	X 4L	H	○
	35	X 3L	H	○
152.4	X 10	X 4L	H	
155	X 10	X 4L	H	
	15	X 3L	H	
	20	X 5L	H	○
	26	X 6L	H	○
160	X 5	X 6L	H	
	10	X 4L	H	
	15	X 8L	H	
	20	X 6000	H	○
	24	X 4L	H	○
	29	X 6000	H	○
	40	X L	H	
50	X L	H		
165.2	X 2.8	X 4000	C	
	3.4	X 4000	C	
		X 6000	C	
	5.0	X 4000	H	
		X 4000	H	
		X 6000	H	
		X 6L	H	
	7.1	X 4000	H	
		X 5500	H	
		X 5L	H	
	9.3	X 4L	H	
	11	X 4000	H	
		X 3L	H	
	14.3	X 5500	H	
		X 3L	H	
	18.2	X 6000	H	
	21.9	X 5500	H	
	24	X 6000	H	○
	27	X 6000	H	○
30	X 4000	H	○	
170	X 10	X 6L	H	
	15	X 7L	H	○

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
170	X 20	X 6000	H	○
	25	X 6000	H	○
175	X 10	X 3L	H	
	15	X 6000	H	○
180	X 10	X 6000	H	○
	15	X 6000	H	○
	20	X 6000	H	○
	27.5	X 4500	H	○
	30	X 4L	H	○
	40	X L	H	
50	X L	H		
60	X L	H		
185	X 10	X 5L	H	○
	15	X 6000	H	○
190	X 10	X 6000	H	○
	15	X 6L	H	○
	20	X 5L	H	○
	28	X 4L	H	○
	30	X 3L	H	○
	40	X L	H	
	50	X L	H	
60	X L	H		
190.7	X 10	X 7000	H	
200	X 10	X 6000	H	○
	15	X 5L	H	○
	20	X 4L	H	○
	25	X 4L	H	○
	28	X 8L	H	○
	30	X 4000	H	○
	40	X L	H	
	50	X L	H	
60	X L	H		
212	X 21	X 3L	H	○
	41	X 2L	H	○
216.3	X 2.8	X 4000	C	
	4.0	X 4000	C	
	6.5	X 4000	H	
		X 5500	H	
	8.2	X 4000	H	
		X 5500	H	

注) ○印はTKAあり

シームレス鋼管（継目無）

SUS-304 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
216.3	× 8.2	× 6000	H	
	10.3	× 6000	H	
	12.7	× 4000	H	
		× 6000	H	
	18.2	× 4000	H	
	23	× 4700	H	
	30	× 3800	H	
224	× 42	× 2L	H	○
232	× 9	× 6000	H	○
	16	× 5L	H	○
	21	× 4L	H	○
236	× 23	× 3L	H	○
	43	× 2L	H	○
250	× 25	× 2L	H	○
	30	× 2L	H	○
	40	× L	H	
	50	× L	H	
267.4	× 4	× 4000	C	
	9.3	× 6000	H	
	15.1	× 6000	H	
	18.2	× 6000	H	
	21.4	× 6000	H	
	28.6	× 6000	H	
318.5	× 4.5	× 4000	C	
	10.3	× 5500	H	
	17.4	× 6000	H	
	21.4	× 6000	H	
	25.4	× 6000	H	
	33.3	× 6000	H	
355.6	× 11.1	× 6000	H	
	19	× 6000	H	
406.4	× 12.7	× 6000	H	

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	

注) ○印はTKAあり