

シームレス鋼管（継目無）

SUS-316L TP-S

単位：mm

| 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) |
|-------------|---------------|-------------|-----------|
| 5 | X 1.0 | X 2,000 | C |
| | | X 4,000 | C |
| 6 | X 0.5 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 6.35 | X 0.89 | X 4,000 | C |
| | | X 4,000 | C |
| 8 | X 0.8 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 2,000 | C |
| 9 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| 9.53 | X 0.89 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 10 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 10.5 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 12 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 12.7 | X 0.89 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 13 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| 13.8 | X 1.2 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 14 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |

| 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) |
|-------------|---------------|-------------|-----------|
| 15 | X 1.0 | X 4,000 | C |
| 16 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| 17.3 | X 1.2 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| 18 | X 1.0 | X 4,000 | C |
| 19 | X 1.0 | X 4,000 | C |
| | | X 4,000 | C |
| 20 | X 1 | X 4,000 | C |
| 21.7 | X 1.65 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| | | X 6,000 | C |
| 27.2 | X 1.65 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| 27.2 | X 2.1 | X 4,000 | C |
| | | X 5,500 | C |
| | | X 6,000 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| | | X 5,500 | C |
| 27.2 | X 2.5 | X 4,000 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| 27.2 | X 2.9 | X 4,000 | C |
| | | X 5,500 | C |
| 27.2 | X 3.9 | X 4,000 | C |
| | | X 5,500 | C |
| | | X 5,500 | C |
| | | X 4,000 | C |
| | | X 5,500 | C |
| 27.2 | X 5.5 | X 4,000 | C |
| | | X 5,500 | C |
| 34 | X 1.65 | X 4,000 | C |

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316L TP-S

単位：mm

| 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) | 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) | |
|-------------|---------------|-------------|-----------|-------------|---------------|-------------|-----------|---------|
| 34 | × 2.8 | × 4,000 | H | 48.6 | × 7.1 | × 8L | H | |
| | | × 5,500 | H | | | × 5,500 | H | |
| | × 3.0 | × 4,000 | H | | | × 8L | H | |
| | | × 5,500 | H | | 60.5 | × 1.65 | × 4,000 | C |
| | × 3.4 | × 4,000 | H | | | | × 2.8 | × 4,000 |
| | | × 5,500 | H | | | × 3.0 | × 5,500 | H |
| | × 4.5 | × 4,000 | H | × 4,000 | | | H | |
| | | × 5,500 | H | × 5,500 | | H | | |
| | 42.7 | × 1.65 | × 4,000 | C | | 5.5 | × 4,000 | × 4,000 |
| | | | × 5,500 | H | × 5,500 | | | H |
| | | × 2.8 | × 4,000 | H | × 8L | | | H |
| | | | × 5,500 | H | 8.7 | | × 4,000 | H |
| | | × 3.0 | × 4,000 | H | | | × 5,500 | H |
| | | | × 5,500 | H | | | × 8L | H |
| × 3.6 | | × 4,000 | H | 76.3 | | × 2.1 | × 4,000 | C |
| | | × 5,500 | H | | × 3.0 | | × 4,000 | H |
| × 4.9 | | × 4,000 | H | | × 5,500 | H | | |
| | | × 5,500 | H | | × 3.5 | × 4,000 | H | |
| × 6.4 | × 4,000 | H | × 5,500 | | | H | | |
| | × 5,500 | H | × 8L | | H | | | |
| 48.6 | × 1.65 | × 4,000 | C | 5.2 | × 4,000 | × 4,000 | H | |
| | | × 5,500 | H | | | × 5,500 | H | |
| | × 2.8 | × 4,000 | H | | | × 8L | H | |
| | | × 5,500 | H | | 7.0 | × 4,000 | H | |
| | × 3.0 | × 4,000 | H | | | × 5,500 | H | |
| | | × 5,500 | H | | | × 7L | H | |
| | × 3.7 | × 4,000 | H | × 9.5 | | × 5,500 | H | |
| | | × 5,500 | H | | × 5L | H | | |
| | 5.1 | × 4,000 | × 4,000 | H | 89.1 | × 2.1 | × 4,000 | C |
| | | | × 5,500 | H | | | × 3.0 | × 4,000 |
| | | × 5.1 | × 4,000 | H | | × 5,500 | H | |
| | | | × 5,500 | H | | × 8L | H | |
| × 8L | | H | × 4,000 | H | | | | |

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316L TP-S

単位：mm

| 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) | |
|-------------|---------------|-------------|-----------|---|
| 89.1 | X 4.0 | X 8L | H | |
| | | X 4,000 | H | |
| | | X 5,500 | H | |
| | 7.6 | X 4,000 | X 7L | H |
| | | | X 5,500 | H |
| | | | X 6L~7L | H |
| | 11.1 | X 4,000 | X 4,000 | H |
| | | | X 5,500 | H |
| | | | X 5,500 | H |
| 101.6 | X 4.0 | X 4,000 | H | |
| | | X 8L | H | |
| | | X 8L | H | |
| | 5.7 | X 4,000 | X 4,000 | H |
| | | | X 5,500 | H |
| | | | X 8L | H |
| | 8.1 | X 4,000 | X 4,000 | H |
| | | | X 5,500 | H |
| | | | X 6L | H |
| 12.7 | X 4L | X 4L | H | |
| | | X 4L | H | |
| | | X 4L | H | |
| 114.3 | X 2.1 | X 4,000 | C | |
| | | X 4,000 | H | |
| | | X 5,500 | H | |
| | 4.0 | X 4,000 | X 8L | H |
| | | | X 5,500 | H |
| | | | X 8L | H |
| | 6.0 | X 4,000 | X 4,000 | H |
| | | | X 5,500 | H |
| | | | X 8L | H |
| | 8.6 | X 4,000 | X 4,000 | H |
| | | | X 5,500 | H |
| | | | X 5L | H |
| | 11.1 | X 4,000 | X 4,000 | H |
| | | | X 5L | H |
| | | | X 5L | H |
| 13.5 | X 4,000 | X 4,000 | H | |
| | | X 5L | H | |
| | | X 5L | H | |
| 139.8 | X 3.4 | X 4,000 | C | |
| | | X 4,000 | H | |
| | 6.6 | X 4L | H | |
| | | X 4,000 | H | |

| 外径 (O.D) | × 厚さ (W.T) | × 長さ (L) | 仕上 (F) |
|-------------|---------------|-------------|-----------|
| 139.8 | X 6.6 | X 5L | H |
| | | X 4,000 | H |
| | | X 3L | H |
| | | X 4,000 | H |
| | | X 3L | H |
| 145 | X 13 | X 3L | H |
| 165.2 | X 3.4 | X 4,000 | C |
| | | X 4,000 | H |
| | | X 4L | H |
| | | X 4,000 | H |
| | | X 5,500 | H |
| | | X 5L | H |
| 216.3 | X 4 | X 4,000 | C |
| | | X 4,000 | H |
| | | X 5,500 | H |
| | | X 5,500 | H |
| | | X 4,000 | H |
| | | X 5,500 | H |
| 267.4 | X 9.3 | X 6,000 | H |
| | | X 6,000 | H |
| | | X 6L | H |
| 318.5 | X 10.3 | X 6,000 | H |
| | | X 8,000 | H |

注) O印はTKAあり