

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
3	× 0.5	× 2,000	C
	1.0	× 2,000	C
4	× 0.5	× 2,000	C
	1.0	× 2,000	C
5	× 0.5	× 2,000	C
		× 2,000	C
		× 4,000	C
6	× 0.5	× 2,000	C
		× 4,000	C
	0.8	× 4,000	C
		× 2,000	C
	1.0	× 4,000	C
		× 4,000	C
1.5	× 4,000	C	
	2.0	× 4,000	C
6.35	× 0.5	× 4,000	C
		0.889	× 4,000
	1.0	× 4,000	C
	1.2	× 4,000	C
	1.5	× 4,000	C
	1.65	× 4,000	C
7	× 0.5	× 2,000	C
		× 4,000	C
		× 4,000	C
8	× 0.5	× 2,000	C
		× 4,000	C
	0.8	× 4,000	C
		× 2,000	C
	1.0	× 4,000	C
		× 4,000	C
1.5	× 4,000	C	
2.0	× 4,000	C	
9	× 0.5	× 2,000	C
		× 4,000	C
		× 4,000	C
9.53	× 0.5	× 4,000	C
		0.889	× 4,000
	1.0	× 4,000	C
	1.2	× 4,000	C
	1.5	× 4,000	C
	1.65	× 4,000	C
	2.0	× 4,000	C

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
10	× 0.5	× 2,000	C
		× 4,000	C
	0.8	× 4,000	C
		× 2,000	C
	1.0	× 4,000	C
		× 4,000	C
10.5	× 1.0	× 4,000	C
		× 4,000	C
		× 4,000	C
		× 2,000	C
11	× 1.0	× 4,000	C
		× 4,000	C
12	× 0.5	× 2,000	C
		× 4,000	C
	0.8	× 4,000	C
		× 4,000	C
	1.0	× 4,000	C
		× 4,000	C
12.7	× 0.89	× 4,000	C
		× 4,000	C
	1.0	× 4,000	C
		× 4,000	C
	1.2	× 4,000	C
		× 4,000	C
1.5	× 4,000	C	
	1.65	× 4,000	C
13	× 0.5	× 2,000	C
		× 4,000	C
13.8	× 1.2	× 4,000	C
		× 4,000	C
		× 4,000	C
		× 4,000	C
14	× 1.0	× 4,000	C
		× 4,000	C
		× 4,000	C

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
14	X 2.0	X 4,000	C	
15	X 1.0	X 4,000	C	
	1.5	X 4,000	C	
	2.0	X 4,000	C	
	2.5	X 4,000	C	
16	X 0.5	X 2,000	C	
	1.0	X 4,000	C	
	1.2	X 4,000	C	
	1.5	X 4,000	C	
	2.0	X 4,000	C	
	2.5	X 4,000	C	
17.3	X 1.2	X 4,000	C	
	1.65	X 4,000	C	
		X 5,500	C	
	2.0	X 4,000	C	
		X 5,500	C	
	2.3	X 4,000	C	
X 5,500		C		
18	X 1.0	X 4,000	C	
	1.5	X 4,000	C	
	2.0	X 4,000	C	
19	X 1.0	X 4,000	C	
	1.2	X 4,000	C	
		X 5,000	C	
		X 5,500	C	
	1.5	X 4,000	C	
		X 6,000	C	
X 4,000		C		
20	X 1.0	X 4,000	C	
	1.5	X 4,000	C	
	2.0	X 4,000	C	
	3.0	X 4,000	C	
21.7	X 1.2	X 4,000	C	
	1.65	X 4,000	C	
	2.1	X 4,000	C	
		X 5,500	C	
2.5	X 4,000	C		

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
21.7	X 2.5	X 5,500	C	
	2.8	X 4,000	C	
		X 5,500	C	
		X 4,000	C	
	3.7	X 4,000	C	
		X 5,500	C	
X 4,000		C		
22	X 1.0	X 4,000	C	
	1.5	X 4,000	C	
25	X 1.0	X 4,000	C	
	2.0	X 4,000	C	
		X 4,000	C	
	3.0	X 4,000	C	
		X 4,000	C	
25.4	X 1.2	X 4,000	C	
	1.5	X 4,000	C	
		X 4,000	C	
	2.0	X 4,000	C	
		X 4,000	C	
27.2	X 1.2	X 4,000	C	
	1.65	X 4,000	C	
		X 4,000	C	
	2.1	X 4,000	C	
		X 5,500	C	
		X 6,000	C	
	2.5	X 4,000	C	
		X 5,500	C	
		X 5,500	C	
	2.9	X 4,000	C	
X 5,500		C		
X 5,500		C		
3.9	X 4,000	C		
	X 5,500	C		
	X 4,000	C		
5.5	X 4,000	C		
	X 5,500	C		
	X 5,500	C		
30	X 2.0	X 4,000	C	
	3.0	X 4,000	C	
		X 4,000	C	
	6.0	X 4,000	C	
X 4,000		C		
32	X 1.5	X 4,000	C	
	2.0	X 4,000	C	
		X 4,000	C	
	3.0	X 4,000	C	
		X 4,000	C	

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
32	X 8.0	X 4,000	C
34	X 1.65	X 4,000	C
		X 4,000	C
	X 2.8	X 4,000	H
		X 5,500	H
	X 3.0	X 4,000	H
		X 5,500	H
	X 3.4	X 4,000	H
		X 5,500	H
	X 4.5	X 6L	H
		X 4,000	H
		X 5,500	H
	X 6.4	X 8L	H
X 4,000		H	
X 5,500		H	
36	X 8.0	X 8L	H
38	X 1.5	X 4,000	C
		X 4,000	C
	X 3.0	X 4,000	H
		X 4,000	H
	X 5.0	X 8L	H
	X 6.0	X 4,000	H
	X 8.0	X 4,000	H
40	X 5.0	X 7L	H
	X 10	X 8L	H
42.7	X 1.65	X 4,000	C
		X 4,000	H
		X 5,500	H
	X 3.0	X 4,000	H
		X 5,500	H
		X 8L	H
	X 3.6	X 4,000	H
		X 5,500	H
		X 8L	H
	X 4.9	X 4,000	H
		X 5,500	H
		X 8L	H
	X 6.4	X 4,000	H
		X 5,500	H
		X 8L	H

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
42.7	X 9.5	X 4,000	H
45	X 5.0	X 4,000	H
		X 4,000	H
48.6	X 1.65	X 4,000	C
		X 4,000	H
	X 2.8	X 4,000	H
		X 5,500	H
	X 3.0	X 4,000	H
		X 5,500	H
	X 3.7	X 4,000	H
		X 5,500	H
	X 5.1	X 6,000	H
		X 7L	H
		X 4,000	H
	X 7.1	X 5,500	H
X 8L		H	
X 4,000		H	
X 50	X 12.5	X 4,000	H
		X 5,500	H
		X 8L	H
50.8	X 1.5	X 6L	H
		X 4,000	C
		X 4,000	C
	X 3.0	X 4,000	H
		X 8L	H
	X 4.0	X 4,000	H
X 8L		H	
52	X 10	X 8L	H
		X 8L	H
54	X 14	X 4,000	H
		X 8L	H
56	X 3.5	X 4,000	H
		X 8L	H
		X 8L	H
60	X 8.0	X 8L	H
		X 8L	H
		X 6L	H
60.5	X 10	X 8L	H
		X 6L	H
60	X 12.5	X 7L	H
		X 6L	H
60.5	X 14	X 4,000	C
		X 4,000	C

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
60.5	X 2.0	X 4,000	C
		X 4,000	H
	3.0	X 4,000	H
		X 5,500	H
	3.5	X 4,000	H
		X 5,500	H
	3.9	X 8L	H
		X 4,000	H
	4.9	X 4,000	H
		X 5,500	H
	5.5	X 8L	H
		X 4,000	H
	8.7	X 5,500	H
		X 8L	H
	15	X 5L	H
63	X 8.0	X 8L	H
63.5	X 6.5	X 8L	H
		X 6L	H
65	X 5.0	X 8L	H
		X 4,000	H
	10	X 6L	H
		X 5L	H
12	X 5L	H	
	X 5L	H	
70	X 5.0	X 8L	H
		X 8L	H
	6.5	X 8L	H
		X 8L	H
10	X 8L	H	
	X 8L	H	
12.5	X 8L	H	
	X 8L	H	
71	X 13	X 8L	H
		X 6L	H
17.5	X 6L	H	
	X 6L	H	
73	X 7.0	X 7L	H
76.3	X 3.0	X 4,000	H
		X 6,000	H
	3.5	X 4,000	H
		X 5,500	H
	5.2	X 4,000	H
		X 5,500	H

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
76.3	X 5.2	X 8L	H
		X 4,000	H
	7.0	X 5,500	H
		X 6L~7L	H
	9.5	X 4,000	H
		X 5,500	H
	13.5	X 5L	H
		X 7L	H
	15	X 4,000	H
		X 4L	H
18	X 5L	H	
	X 5L	H	
80	X 10	X 5L	H
		X 5L	H
	20	X 4L	H
85	X 10	X 7L	H
		X 5L	H
	12.5	X 5L	H
		X 5L	H
15	X 5L	H	
	X 5L	H	
20	X 5L	H	
	X 5L	H	
89.1	X 3.0	X 4,000	H
		X 5,500	H
	4.0	X 8L	H
		X 4,000	H
	5.5	X 6L	H
		X 4,000	H
	7.6	X 7L	H
X 4,000		H	
11.1	X 5,500	H	
	X 7L	H	
X 4,000	H		
X 6L	H		
90	X 10	X 7L	H
		X 6L	H
	13.5	X 5L	H
		X 4L	H
15	X 5L	H	
	X 4L	H	
20	X 4L	H	
	X 4L	H	
95	X 7.5	X 8L	H
		X 6L	H
	10	X 5L	H
		X 4L	H
	12.5	X 4L	H
		X 4L	H
16	X 4L	H	
	X 4L	H	
22.5	X 4L	H	
	X 4L	H	
25	X 4L	H	
	X 4L	H	

注) O印はTKAあり

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
100	X 10	X 6L	H
	14.5	X 4L	H
	22	X 4L	H
101.6	X 3.0	X 8L	H
	4.0	X 8,000	H
	5.7	X 4,000	H
		X 8L	H
	8.1	X 6L	H
	12.7	X 6L	H
	15	X 4L	H
	26	X 4L	H
105	X 10	X 6L	H
106	X 13	X 4L	H
	17.5	X 4L	H
	25	X 3L	H
110	X 10	X 5L	H
	20	X 4L	H
112	X 16	X 4L	H
114.3	X 3.0	X 4,000	H
		X 8L	H
	4.0	X 4,000	H
		X 8L	H
	6.0	X 4,000	H
		X 5,500	H
		X 7L	H
	7.1	X 6L	H
	8.6	X 4,000	H
		X 4L	H
	11.1	X 5,500	H
	X 4L	H	
120	X 10	X 4L	H
	20	X 4L	H
	26	X 3L	H
125	X 10	X 5L	H
	12.5	X 4L	H
	17.5	X 3L	H
127	X 8.0	X 5L	H
132	X 13	X 4L	H

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)
132	X 21	X 3L	H
139.8	X 3.4	X 4,000	C
	5.0	X 4,000	H
		X 6,000	H
	6.6	X 6L	H
	9.5	X 4,000	H
		X 4L	H
	12.7	X 5L	H
	15.9	X 4L	H
140	X 20	X 3L	H
	25	X 4L	H
145	X 13	X 3L	H
	20	X 3L	H
150	X 10	X 4L	H
	22	X 6L	H
155	X 15	X 8L	H
	20	X 6L	H
160	X 15	X 3L	H
	20	X 6L	H
165.2	X 3.4	X 4,000	C
	5.0	X 4,000	H
		X 4L	H
	7.1	X 4,000	H
		X 4L	H
	11	X 5L	H
170	14.3	X 3L	H
	18.2	X 6,000	H
	X 15	X 6,500	H ○
180	X 15	X 7,500	H ○
	20	X 5,500	H ○
190	X 20	X 5L	H ○
200	X 20	X 5,000	H ○
212	X 21	X 4L	H ○
216.3	X 4	X 4,000	C
	6.5	X 5,500	H
	8.2	X 5,500	H
		X 6,000	H
	12.7	X 4,000	H
	X 5,500	H	

注) ○印はTKAあり

シームレス鋼管（継目無）

SUS-316 TP-S

単位：mm

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	
216.3	X 18.2	X 5,500	H	
	23	X 4L	H	
250	X 25	X 2L	H	○
267.4	X 9.3	X 6,000	H	
	15.1	X 6,000	H	
318.5	X 10.3	X 6,000	H	
	17.4	X 8L	H	
355.6	X 19	X 6L	H	

外径 (O.D)	× 厚さ (W.T)	× 長さ (L)	仕上 (F)	

注) ○印はTKAあり